

| Variable Name | Variable Label |
|----------------------|---|
| k_interviewer_id | Interviewer first and last name |
| k_date | Enter survey date in DD/MM/YY format |
| k_surv_loc | Enter the city/village/address where the survey took place - Be as s |
| k_start_time | Enter time survey started using military time (not AM or PM) |
| k_sib_id | ID# for closest age sibling of this observation |
| k_fam_id | Family ID# 1-200 |
| ind_id | ID# for this observation |
| k_parent_id | ID# of this observation's parent/guardian |
| k_group | C1=CONTROL PATIENT, C2=PARTIALLY TREATED PATIENT, C3=FULL S1=CONTROL SIBLING, S2=SIBLING OF PARTIALLY TREATED PATIENT |
| k_last_name | Enter respondent's last name |
| k_first_name | Enter respondent's first name |
| k_male | If male=1, if female=0 |
| k_age | Enter respondent's age |
| k_dob | Enter respondent's date of birth in DD/MM/YYYY format. If respon CONVERT BENGALI DATES TO INTERNATIONAL DATES BEFORE ENT |
| k_hindi_dum | If speak hindi=1, if no=0 |
| k_english_dum | If speak english=1, if no=0 |
| k_num_older_sibs | Number of older siblings that the respondent has |
| k_b_order | Respondent's birth order (should be k_num_older_sibs+1) |
| k_weight | Enter weight in Kgs to the nearest 0.1kg |
| k_height | Enter height in cms to the nearest 0.1 cm |
| k_grip1 | Enter strength measure in kgs to the nearest 0.1 kg |
| k_grip2 | Enter strength measure in kgs to the nearest 0.1 kg |
| k_grip3 | Enter strength measure in kgs to the nearest 0.1 kg |
| k_grip4 | Enter strength measure in kgs to the nearest 0.1 kg. If B6 is left bla |
| k_num_friends | Self-reported number of friends |
| k_num_close_friends | Self-reported number of close friends |
| k_job_hope | What kind of job do you hope that you can have in the future? |
| k_job_realistic | What kind of job do you realistically expect to have in the future? |
| k_pre_school | Did you attend pre-school? If yes=1 if no=0, if not sure=888 |
| k_in_school_dum | Are you currently enrolled in school or university? If school=1, if ur |
| k_current_grade | If in school, enter current standard (grade). If not enter . |
| k_current_uni_year | If in university, enter current university year (grade). If not enter . |
| k_missed_school | If in school, how many days of school have you missed in last mont |
| k_ever_school_dum | If respondent was ever enrolled in school=1. If never enrolled, ente |
| k_dropout_grade | Enter grade level after which respondent dropped out of school |
| k_go_to_parent | When you have a problem or need help, you can go to one of your |
| k_comfort | When lonely or sad, one of your parents is usually able to comfort |
| k_attention | Your sibs get more attention that you do from your parents |
| k_accept | Your parents fully accept you for who you are |

| | |
|-----------------------|---|
| k_pursue_dreams | Sometimes you wish your parents gave you more support to pursue your dreams |
| k_mistreat | When someone mistreats you, you think you must have done something wrong |
| k_say_wrong | You often worry that you will say or do the wrong things |
| k_disrespect | You often feel that others disrespect you |
| k_appearance | You often worry about your appearance |
| k_self_critical | You are very critical of yourself |
| k_good_job | You feel that when you are older you will have a good job with a good salary |
| k_better_life | You feel that your life as an adult will be better than it was for you as a child |
| k_finish_hs | You believe that you will finish secondary school (if haven't already) |
| k_finish_uni | You believe that you will finish a uni degree (if haven't already) |
| k_fights | You sometimes get in fights because you need to stick up for yourself |
| k_punished | You are often unfairly punished by teachers or parents |
| k_help_teased | When someone is teased, it is important to help them |
| k_lie_cheat | You sometimes lie or cheat to get what you need |
| k_angry | When someone makes you angry, you stay calm and talk through the problem |
| k_included | You feel included in society |
| k_relationships | Overall, you feel that you have good relationships with friends |
| k_opportunity | You feel you are given equal opportunity to contribute to your community |
| k_teased_often | You get teased a lot |
| k_meet_new_people | You take chances to meet new people |
| k_alone | You often choose to be alone rather than with others your age |
| k_help_ill | You are helpful when someone is hurt, upset, or ill |
| k_share_often | You often share with others |
| k_nervous_first | You have felt nervous when meeting someone for 1st time |
| k_diff_eating | Had difficulty eating or drinking without assistance (last two weeks) |
| k_diff_tasks | Had difficulty completing daily tasks (last 2 weeks) |
| k_diff_hearing | Had difficulty hearing (last two weeks) |
| k_exercise | Exercised or played a sport (last two weeks) |
| k_anxious | Felt anxious, nervous, or on edge (last 2 weeks) |
| k_worrying | Not been able to stop or control worrying (last 2 weeks) |
| k_afraid | Felt afraid that something awful might happen (last 2 weeks) |
| k_no_pleasure | Had little interest or pleasure in doing things (2weeks) |
| k_depressed | Felt down, depressed, or hopeless (last 2 weeks) |
| k_failure | Felt bad about yourself/that you are failure/let family down (2w) |
| k_time_w_friends | Spent time with friends (last 2 weeks) |
| k_forwards_score | Enter total digit span score (0-16) |
| k_backwards_score | Enter total digit span backwards score (0-16) |
| k_correct_count120 | Respondent asked to count 1-20. Record highest number correctly |
| k_no_attempt120 | Respondent chose not to count1-20 =1. If counted=0 |
| k_count6070 | Asked to count 60-70. 1=counted correctly, 0=incorrectly |
| k_no_attempt6070 | Respondent chose not to count60-70 =1. If counted=0 |
| k_fail_basic_math_eng | 1=failed basic math in eng, 0=succeeded, .=took bengali test |

| | |
|------------------------|--|
| k_recog1to9_eng | 1=passed single digit math, 0=failed, .=did bengali math |
| k_recog10to99_eng | 1=passed double digit math, 0=failed, .=did bengali math |
| k_subtraction_eng | 1=passed subtraction, 0=failed, .=did bengali math |
| k_division_eng | 1=passed division, 0=failed, .=did bengali math |
| k_fail_basic_math_beng | 1=failed basic math in bengali, 0=succeeded, .=took eng test |
| k_recog1to9_beng | 1=passed single digit math, 0=failed, .=did eng math |
| k_recog10to99_beng | 1=passed double digit math, 0=failed, .=did eng math |
| k_subtraction_beng | 1=passed subtraction, 0=failed, .=did eng math |
| k_division_beng | 1=passed division, 0=failed, .=did eng math |
| k_fail_letter_recog | Failed basic letter recognition=1, if passed=0 |
| k_letter_level | Passed basic letter recognition=1, failed=0 |
| k_word_level | Passed basic word recognition=1, failed=0 |
| k_para_level | Reads at paragraph level=1, if no=0 |
| k_story_level | Can read full story successfully=1, if no=0 |
| k_visible_cleft_dum | If respondent has visible cleft=1, if no=0 |
| k_speech_imp_dum | If respondent has clear speech impediment=1, if no=0 |
| k_eye_contact | Does respondent make consistent eye contact? yes=1, no=0 |
| k_look_down | Does respondent frequently look down during survey? yes=1, no=0 |
| k_shy_scale | On a scale of 1-10, how shy/extroverted is respondent? (Enumerate) |
| k_end_time | Enter time survey ended using military time (not AM or PM) |
| k_cousin_dum | Enter 1 if respondent is nearest age cousin. Enter 0 if nearest age sibling |
| k_nd_nearest_sib_dum | Enter 1 if 2nd nearest age sibling was surveyed. 0 if nearest age sibling |
| k_sib_dum | Do you have siblings at least 7 years old? Y=1 N=0 |
| k_sib_name | Enter respondents nearest age sibling name |
| k_sib_age | Enter nearest age sibling's age |
| k_sib_male_dum | If respondent's sibling is male=1, if female=0 |
| k_moth_name | Enter mother's first and last name. If no mother, enter "." |
| k_guard2_name | If no mother, enter other guardian's full name. If blank enter "." |
| fam_id | Family ID# |
| interviewer_id | Interviewer Name |
| date | Survey date (DD/MM/YYYY) |
| surv_loc | Survey Location |
| start_time | Start time (HH:MM, no "AM" or "PM") |
| end_time | End time (HH:MM, no "AM" or "PM") |
| last_name | Last name |
| first_name | First Name |
| age | Age |
| b_order | Birth order |
| male | If male, enter 1, if female, enter 0. |
| group | S1=CONTROL SIBLING, S2=SIBLING OF PARTIALLY TREATED, S3=SIBLING OF FULLY TREATED PATIENT, P1=CONTROL PATIENT, P2=PARTIALLY TREATED PATIENT, P3=FULLY TREATED PATIENT |
| guardian_type | Guardian Type: Mother=1, Father=2, Grandfather=3, Grandmother=4 |

| | |
|------------------|---|
| guard_last | Guardian Last Name |
| guard_first | Guardian First Name |
| guard_male | Guardian Gender - Male = 1, Female = 0 |
| guard_age | Guardian Age |
| guard_hindi | Guardian Speaks Hindi dummy. If speak Hindi = 1, if not = 0 |
| guard_english | Guardian Speaks English dummy. If speak english = 1, if not = 0 |
| guard_child_num | Number of children in family |
| guard_mobile | Guardian's mobile phone number |
| electricity | Electricity in the household dummy. If yes = 1. If no = 0 |
| toilet | Toilet in the household dummy. If yes = 1. If no = 0 |
| guard_job | Guardian 1 Occupation |
| spouse_job | Spouse Occupation |
| guard_educ | Guardian 1 Education. None=0, Primary=1, Secondary=2, Technical |
| spouse_educ | Spouse Education. None=0, Primary=1, Secondary=2, Technical Stu |
| roof | Roof Material. Straw=1, Clay=2, Tin=3, Tiles=4, Brick=5, Cement=6 |
| floor | Floor Material. Dirt=1, Clay=2, Cement=3, Tile=4 |
| religion | Guardian's religion. Hindu=0, Muslim=1, Christian=2, Buddhist=3 |
| future_surg_date | Scheduled Surgery Date: DD/MM/YYYY format. August Mission = 1 March Mission = 4, Unsure = 888, If respondent has a cleft but was |
| num_cl_surg | Number of Previous Cleft LIP surgeries |
| date_1st_cl_s~g | Date of 1st cleft LIP surgery. DD/MM/YYYY format |
| age_1st_cl_surg | Age at 1st cleft LIP surgery |
| loc_1st_cl_surg | Location at 1st LIP surgery |
| prov_1st_cl_surg | Surgery Provider - 1st LIP Surgery. Op Smile=1, Private Provider=2, |
| date_2nd_cl_surg | Date of 2nd cleft LIP surgery. DD/MM/YYYY format |
| age_2nd_cl_surg | Age at 2nd cleft LIP surgery |
| loc_2nd_cl_surg | Location of 2nd LIP surgery |
| prov_2nd_cl_surg | Surgery Provider - 2nd LIP Surgery. Op Smile=1, Private Provider=2, |
| date_3rd_cl_surg | Date of 3rd cleft LIP surgery. DD/MM/YYYY format |
| age_3rd_cl_surg | Age at 3rd cleft LIP surgery |
| loc_3rd_cl_surg | Location at 3rd LIP surgery |
| prov_3rd_cl_surg | Surgery Provider - 3rd LIP Surgery. Op Smile=1, Private Provider=2, |
| num_cp_surg | Number of Previous Cleft PALATE surgeries |
| date_1st_cp_surg | Date of 1st cleft PALATE surgery. DD/MM/YYYY format |
| age_1st_cp_surg | Age at 1st cleft PALATE surgery |
| loc_1st_cp_surg | Location at 1st PALATE surgery |
| prov_1st_cp_surg | Surgery Provider - 1st PALATE Surgery. Op Smile=1, Private Provide |
| date_2nd_cp_surg | Date of 2nd cleft PALATE surgery. DD/MM/YYYY format |
| age_2nd_cp_surg | Age at 2nd cleft PALATE surgery |
| loc_2nd_cp_surg | Location at 2nd PALATE surgery |
| prov_2nd_cp_surg | Surgery Provider - 2nd PALATE Surgery. Op Smile=1, Private Provid |
| date_3rd_cp_surg | Date of 3rd cleft PALATE surgery. DD/MM/YYYY format |

| | |
|------------------|---|
| age_3rd_cp_surg | Age at 3rd cleft PALATE surgery |
| loc_3rd_cp_surg | Location at 3rd PALATE surgery |
| prov_3rd_cp_surg | Surgery Provider - 3rd PALATE Surgery. Op Smile=1, Private Provider=2 |
| cl_dum | Cleft Lip Dummy. 1 if respondent born with cleft lip, 0 otherwise. |
| cl_type | Cleft Lip Type: 1=FORME FRUSTE UNILATERAL, 2=INCOMPLETE UNILATERAL, 3=COMPLETE UNILATERAL, 4=COMPLETE BILATERAL, 0=RESPONDENT WAS NOT BORN WITH A CLEFT LIP |
| cp_dum | Cleft Palate dummy. 1 if respondent born with cleft palate, 0 otherwise |
| cp_type | Cleft Palate Type: 1=INCOMPLETE PALATE, 2=COMPLETE PALATE, 3=COMPLETE UNILATERAL PALATE, 0=RESPONDENT WAS NOT BORN WITH A CLEFT PALATE |
| cl_surg_qual | Quality code for average of ALL previous cleft LIP surgeries combined |
| cp_surg_qual | Quality code for ALL previous cleft PALATE surgeries. 0=Complicated |
| reads_often | Relative to others, this child reads a lot. |
| math_often | Relative to others, this child practices math frequently |
| hs_achieve | Relative to others, this achieves highly in school |
| smart | Relative to others, this child is smart |
| depressed | Often depressed/sad |
| nerv_anx | Often worried,nervous,or anxious |
| hopeful | Extremely hopeful |
| self_conscious | Self-conscious & easily embarassed |
| health_distress | This child's health causes emotional distress |
| new_friends | Child can easily form new friendships |
| diff_integrating | Child has difficulty integrating with peers |
| avoid_soc | Child avoids social situations |
| many_friends | Child has many friends |
| ok_strang | Child is comfortable meeting strangers |
| inc_in_soc | Included equally in society |
| bullied_often | Child is often teased or bullied |
| disobedient | Child is often disobedient at home or school |
| gets_along | Child gets along with peers |
| acts_young | Child acts younger then their age |
| kind_to_children | Child is kind to others their age and younger |
| breaks_rules | Child breaks rules at home/school/elsewhere |
| good_health | Child rarely suffers from health challenges |
| fit_strong | Child is physically fit/strong |
| trouble_eatdrink | Child often has trouble eating/drinking without assistance |
| trouble_hearing | Child often has trouble hearing |
| trouble_tasks | Child has trouble completing daily tasks |
| highest_grade | Highest grade level completed by each child |
| cousin_dum | Cousin dummy: enter 1 if the sibling survey respondent in this row is a cousin |
| mgm_group | MGM Grouping |
| notes | Additional Notes |

ce - Be as specific as possible.

T, C3=FULLY TREATED PATIENT
ED PATIENT, S3=SIBLING OF FULLY TREATED PATIENT

t. If respondent unsure, enter "888".
EFORE ENTERING

6 is left blank in survey, enter "."

ool=1, if university=2, if no=0

n last month?
rolled, enter 0.

one of your parents
to comfort you

rt to pursue your dreams
done something to deserve it

ob with a good income
yas for your parents
en't already)

p for yourself

k through the problem

o your community

two weeks)

er correctly counted to

yes=1, no=0

(Enumerator observation)

Closest age sibling

Closest age sibling was surveyed.

ED, S3=SIBLING OF FULLY TREATED,

P, P3=FULLY TREATED PATIENT

Grandmother=4, Uncle = 5, Aunt =6, If other, fill in the blank

l Studies = 3, University = 4, Not Sure =5
chnical Studies = 3, University = 4, Not Sure =5

Mission = 1, November Mission = 2, Feb Mission = 3,
eft but was not qualified for surgery for another reason enter "XXX"

rovider=2, Public Provider=3, Other=4

Provider=2, Public Provider=3, Other=4

Provider=2, Public Provider=3, Other=4

ate Provider=2, Public Provider=3, Other=4

ivate Provider=2, Public Provider=3, Other=4

Private Provider=2, Public Provider=3, Other=4

COMPLETE UNILATERAL, 3=COMPLETE,

0 otherwise

2=COMPLETE PALATE, 3=SUBMUCOUS CLEFT,

0=poorest

Complications, 1=No Comp

in this row is a cousin of the patient